

Trimapanel® System

A continuous run of 6mm dia high grade butyl mastic (min 25 year guarantee) between panel and support angle

Loose lay insulation

0.7mm insulation retaining flashing standard white liner internal finish

Self drilling self tapping primary fastener

Stainless steel base support clip fixed at ends of panels and max 1000mm centres between

1.6mm galvanised steel flashing sealed with gun applied sealant to slab base as shown

All support steelwork by others

Trimapanel® U-values

Depth 70 = 0.31 W/m²K.
Depth 90 = 0.24 W/m²K.
Depth 120 = 0.17 W/m²K.

Junction 'psi' and 'f' values

Ψ = 0.275 W/mK.
f = 0.690

Stated calculation results are dependent on components being as shown.
Computer modeled in accordance with EN ISO 10211



Tata Steel retain the right to amend the construction and technical specifications shown on this drawing without prior notice.

TATA STEEL

SALES TEL: 01244 892199
TECHNICAL TEL: 01244 892133 / 34

www.tatasteelconstruction.com

PROJECT **Trimapanel® System
Typical Details**

TITLE **Slab base drip**

DRAWN BY JCA

SCALE NTS

APPROVED BY DA

TOLERANCES

DATE **22/11/10**

DRG. No.
W2-007-03-B