



TRISOMET® U-VALUES  
 135mm Core = 0.15 W/m<sup>2</sup> K.  
 120mm Core = 0.16 W/m<sup>2</sup> K.  
 100mm Core = 0.20 W/m<sup>2</sup> K.  
 80mm Core = 0.25 W/m<sup>2</sup> K.  
 60mm Core = 0.33 W/m<sup>2</sup> K.  
 40mm Core = 0.46 W/m<sup>2</sup> K.

**Psi & f-Factor**  
 Y = 0.019W/mK.  
 f = 0.95  
 STATED CALCULATION RESULTS ARE DEPENDENT ON COMPONENTS BEING AS SHOWN  
 Computer Modelled in Accordance with EN ISO 10211

*Tata Steel retain the right to ammend the construction and technical specifications shown on this drawing without prior notice.*

**TATA STEEL**

OFFICE TEL: 01244 892199  
 TECHNICAL TEL: 01244 892133 / 34

www.tatasteelconstruction.com

PROJECT  
**TRISOMET® HORIZONTAL WALL DETAILS**

TITLE  
**VERGE**

DRAWN BY	GMc	SCALE	NTS
APPROVED BY	JCA	TOLERANCES	
DATE	12/01/09	DRG. No.	E5-006-03-C

All support steelwork by others

© Tata Steel UK Limited.